

Introduction to Heliophysics System Physics: Processes and Environments, Similarities and Differences (Part 1)

Mark Moldwin

University of Michigan-AOSS

Heliophysics Summer School July 2013

Reading: V1Ch 1, 2 and 6; V2 Ch 1; V3 Ch 1

What is your Background?

- I know the domains of heliophysics
 - (1 agree; 2 kinda; 3 disagree)
- I have taken graduate level space plasma physics courses.
- I have an undergrad degree in physics
- I have read the 3 Heliophysics Texts
 - (1 cover2cover; 2 skim; 3 what books?)

What are Scientists Interested in Finding?

- Structure and Dynamics
- Causes/Physical Processes
- Compare and Contrast
- Analogies (explaining new observations/models/ideas in context of previous knowledge)
- Develop Simple Conceptual Understanding

Goal of this Morning's Lecture

- **Flux Tubes** and **Current Sheets** are the “quanta”-structures of plasma physics
- These are universal structures that span all scales and tell us about universal **processes** that create them.
- **Reconnection** happens at thin current sheets
- What are the similarities and differences of the the Sun's, Earth's and other solar system and astrophysical space plasma environments?

Universal Magnetic Structures

- Magnetized plasmas form a **FINITE** set of structures seen over wide range of scales
- For this discussion, I posit that there are only three groups – flux tubes, cavities, current sheets.
- What does this tell us about magnetized plasmas? Why only three?


Can you define and give examples of these structures?

- Cavities
- Current Sheets
- Flux Tubes
- Introduce yourself to your neighbors and quickly answer above question as best you can.

Examples of Three Groups

- Cavities: Magnetospheres, heliosphere
 - (Vol 1, Figure 2.7)
- Current Sheets: Heliospheric Current Sheet, magnetospheric current sheets
 - (Vol 1, Section 2.6)
- Flux Tubes: the smallest fundamental plasma structure
 - (Vol 1, Chapter 6)

Heliosphere/Cavity; HCS/current sheet; CME/ flux tube



What is a Flux Tube?

(Vol 1, Section 6.4)

- Ideal MHD's frozen-in flux condition
 - (V1, S3.2.3)
- Equation of motion has the pressure gradient and Lorentz term on RHS (V1, Eq 6.5)

$$\rho \left(\frac{\partial \mathbf{v}}{\partial t} + (\mathbf{v} \cdot \nabla) \mathbf{v} \right) = -\nabla p + \mathbf{j} \times \mathbf{B}$$

- Magnetic force has two components - magnetic pressure term acting perpendicular to field and a tension term along field.
 - (V1, Eqt 3.10)

$$\begin{aligned}
 \vec{F} &= \vec{J} \times \vec{B} \\
 &= \frac{(\vec{B} \cdot \nabla) \vec{B}}{\mu_0} - \frac{\nabla B^2}{2\mu_0} \\
 &= \text{magnetic tension force } (F_t) + \text{magnetic pressure gradient force } (F_p)
 \end{aligned}$$


©The COMET Program

- Can think of flux tubes as mutually repulsive rubber bands
- They are the “elementary particles” of MHD

What are Flux Ropes?



- Field aligned currents cause the field to twist – hence the term “rope”
- Some are created by magnetic reconnection (V1, Section 2.4). Due to topology change allow exchange of Energy/momentum/mass between flux tubes (V1, Section 2.5)

Flux Ropes



- The center of the rope is the core field
- Edges of rope often have current sheets to separate it from surrounding plasma


CMEs often have flux rope structure



Role of Flux Tubes/Ropes: Defining and Connecting Domains

- What are inside “cavities”?
- What distinguishes/separates one “domain” or “region” of space from another? (i.e., the plasmasphere from the plasmasheet? Or a CME from the solar wind?)
- How can one domain interact with another?



Magnetic Reconnection



NASA MMS EPO

CME formation involves thin current sheets and RXN


e 001 | 2 May 2003 | Tecplot Test time dt 0.0000000E+00




MacNeice et al. 2004

Reconnection across HCS


- Gosling, Phan et al. have presented numerous observations of signatures in the solar wind consistent with classic Petschek-like reconnection jets



Creation of Plasmoid by Magnetic Reconnection in Earth's Magnetotail




Formation of Plasmoid



Magnetotail current sheet forms – similar to Post-CME current sheet. Localized reconnection forms plasmoid, tearing mode can lead to tangling, multiple plasmoids, as in post CME flare.

Double Helix Nebule



- IR image
 - Near center of Milky Way
 - About 80 LY long
- Morris et al. Nature, 2007

Take Home Message

- Three Universal Magnetic Structures
 - Cavities, current sheets and flux tubes
- Observed throughout space
- Reconnection couples flux tubes and plays significant role in energy, mass, and momentum transfer in Sun-Earth relationship (CMEs and storms, role of RXN across HCS)
- Want to understand Heliosphere – need to understand magnetic reconnection



Introduction to Heliophysics System Physics: Processes and Environments, Similarities and Differences (Part 2)

Mark Moldwin

University of Michigan-AOSS


Heliophysics Summer School July 2013

Reading: V1Ch 1, 2 and 6; V2 Ch 1; V3 Ch 1

Goal of this Lecture

- The scales of the universal structures tell us about the energy content of the structure and its surroundings
- There are a small set of plasma scales that order the physics.
- **Reconnection** is a CROSS-SCALE process. The physics is at the electron scale, but the dynamics is driven by the global scale (RXN changes the global structure – global structure changes RXN)


Cavities – Magnetosphere and Heliosphere




Astrosphere around L.L Orionis from HST




Planetary Magnetospheres



Matryoshka Nesting Dolls




What is this? An astrosphere, the heliosphere, a planetary magnetosphere (if so which one?), or a satellite's magnetosphere?



Coupling Processes

- What determines the structure of magnetospheres?
- What determines the dynamics of magnetospheres?
- How does mass, momentum and energy flow through the coupled system?


Magnetic Reconnection



NASA MMS EPO

Cross-Scale Coupling

- If magnetospheres are self-similar, does scale matter? (See V1 Section 10.6 for discussion of magnetospheric scaling parameters).
- What are the scales important for reconnection?



Moore et al., JASTP 2013

Plasma Scales

- **Electron and ion gyroradius**, the radius of the circular motion of an electron or ion in the plane perpendicular to the magnetic field:

$$r_g = \frac{mv_{\perp}}{|q|B}$$

- **Ion inertial length**, the scale at which ions decouple from electrons and the magnetic field becomes frozen into the electron fluid rather than the bulk plasma:

$$d_i = \frac{c}{\omega_{pi}}$$

ω_{pi} Ion plasma frequency


$$\omega_{pi} = \left(\frac{4\pi Z^2 q^2}{m_i} \right)^{\frac{1}{2}}$$

- Other scales: Debye, skin depth, bounce, drift, mean-free path
- Which one is important?

Effects of RXN

- Conversion of magnetic energy to plasma kinetic and thermal energy
- Change in field topology
 - Coupling of different flux tubes
 - Allows exchange of mass

Dungey Cycle



Magnetic Energy = $\frac{B^2}{2\mu_0}$

(See V1, Eqt 3.31)

- Spatial Scales of RXN
 - Solar (micro-flares to CME),
Magnetosphere (patchy dayside RXN to
Plasmoid formation)
- Time Scales of Energy Release
 - Explosive (flares, substorms)
 - Quasi-steady state (magnetospheric
convection due to distant X-line)

Take Home Message

- Three Universal Magnetic Structures
 - Cavities, current sheets and flux tubes
- Flux tubes are the basic structure
- Reconnection couples flux tubes and plays significant role in energy, mass, and momentum transfer in Sun-Earth relationship (CMEs/flares/geomagnetic storms/substorms)

- Want to understand Heliosphere – need to understand magnetic reconnection

- Complication comes in that RXN involves cross-scale coupling from micro \leftrightarrow macro