

Mission Design and Introduction to the First Korean Spaceborne Methane Monitoring Project: Narsha

Hayoung

Park

Climate Lab, Graduate School of Environmental Studies, Seoul National University, South Korea

Jinyoung Shin, Nara Space Technology Inc., South Korea

Geuk-Nam Kim, Nara Space Technology Inc., South Korea

Jae-Pil Park, Nara Space Technology Inc., South Korea

Jaemin Hong, Climate Lab, Graduate School of Environmental Studies, South Korea

Seongwhan Lee, Nara Space Technology Inc., South Korea

Jungkyu Lee, Nara Space Technology Inc., South Korea

Kwangwon Lee, Nara Space Technology Inc., South Korea

Dong Yeong Chang, Climate Lab, Graduate School of Environmental Studies, South Korea

Yu-Ri Lee, Climate Lab, Graduate School of Environmental Studies, South Korea

Young-Jun Choi, Korea Astronomy and Space Science Institute, South Korea

Sujung Jeong, Climate Lab, Graduate School of Environmental Studies, South Korea

Oral

With the increasing demand for reliable Monitoring, Reporting, and Verification (MRV) systems in the global effort to mitigate anthropogenic greenhouse gas emissions, space-based monitoring has emerged as a prominent technology. Methane (CH₄) is the second-most abundant anthropogenic greenhouse gas with a global warming potential of approximately 21 times greater than that of carbon dioxide (CO₂) over a 100-year period. Thus, effective monitoring of methane emissions is crucial for establishing a dependable MRV system and ultimately achieving reductions in anthropogenic emissions.

In this study, we introduce the first Korean spaceborne methane monitoring project, Narsha. The Narsha project is a collaborative effort involving Nara Space Technology Inc., the Climate Lab of Seoul National University, and the Korea Astronomy and Space Science Institute. This project aims to develop and operate a methane observation microsatellite to detect and quantify methane emissions at a local scale from point sources.

The first Korean methane monitoring satellite of the Narsha Project is scheduled for launch in 2026 and will operate as part of a Low Earth Orbit (LEO) constellation. The primary payload comprises of a hyperspectral imager operating in the Short Wave Infrared (SWIR) spectrum, specifically detecting the weak methane absorption band between 1630-1675 nm. With a spectral resolution of approximately 0.1 nm, a ground sampling distance (GSD) less than 30 m, and a swath width of approximately 12 km at an altitude of 500 km, this imager enables the detection of point-source methane emissions at a local level, even amidst complex environmental backgrounds such as forests and urban areas. In addition, the satellite consists of on-board processing capabilities which include cloud detection and a high-speed communication system to enhance the accuracy of methane estimation and to streamline data processing.

As the first-ever satellite for the purpose of detecting and estimating methane emissions at a local scale, the Narsha project aims to support the development of a robust MRV system. This project aims to develop a satellite that provides reliable and timely point-source methane monitoring data to achieve the goal of reducing anthropogenic emissions of greenhouse gases.

This work was supported by Korea Environmental Industry & Technology Institute(KEITI) through “Project for developing an observation-based GHG emissions geospatial information map”, funded by Korea Ministry of Environment(MOE)(RS-2023-00232066).

Keywords: methane, microsatellite, point-source emissions, remote sensing

Presentation file

[Hayoung-Park.pdf](#)

Meeting homepage

[IWGGMS-20 Workshop](#)

IWGGMS-20 Category:

Status and Plans for Future Missions

[Download to PDF](#)